


# HELUTECH® CONNECTORS



*Power - Signal - Hybrid*

# Product families




## Power connectors (9 series)

915 - 917 - 923  
932 - 940 - 958



## Signal connectors (6 series)

615 - 617  
623 - 627



## Hybrid connectors (7 series)


723 - 740

# Key characteristics

- 1** Quick fastening connector,  
vibration resistant lock mechanism
- 2** Fits in tight locations  
(Series 615 / 915)
- 3** Freely customizable connector
- 4** Frost protection down to -50 °C
- 5** Protection classification  
IP 66/67 & 69K
- 6** Long-term missions under water  
(Series 615 / 915)
- 7** Compatible with numerous  
fieldbus system



# Locking mechanism



ytec



itec



SpeedTec



locktec



singletec



htec

# Styles



Plug



Plug, angled



Bulkhead



Extension




Receptable



Receptable,  
angled

# **HELUTEC® – SERIES 615 / 915**

The ultra-flat device connector



- 1** Solid plastic design, flame retardant according to UL 94 VO
- 2** Clearly coded facilitating fast and intuitive handling
- 3** Offshore and marine applications, wind turbine, seafaring vessel...

# **HELUTEC® – SERIES 926**

Plastic connector for stage



- 1** Small in size yet great in performance
- 2** A combination of power and signal connection
- 3** 300° continuously rotatable
- 4** Suitable for miniaturized applications



# Chains, Cables, Assemblies: Quality from a Single Source

